

Package: bmp (via r-universe)

September 16, 2026

Maintainer Gregory Jefferis <jefferis@gmail.com>

License GPL (>=2)

Title Read Windows Bitmap (BMP) Images

Description Reads Windows BMP format images. Currently limited to 8 bit greyscale images and 24,32 bit (A)RGB images. Pure R implementation without external dependencies.

Version 0.3.2

Suggests pixmap, testthat

Collate 'read-bmp.R'

RoxygenNote 7.3.2

Encoding UTF-8

URL <https://github.com/jefferis/bmp>

BugReports <https://github.com/jefferis/bmp/issues>

Repository <https://jefferis.r-universe.dev>

Date/Publication 2025-09-21 20:24:28 UTC

RemoteUrl <https://github.com/jefferis/bmp>

RemoteRef HEAD

RemoteSha fefccd7f4d40e58c6f10caf2dd46ccc67ef9b5a0

Contents

ConvertIntToUInt	2
is.bmp	2
read.bmp	3

Index	4
--------------	----------

ConvertIntToUInt	<i>Fix a 32 bit unsigned integer that has been read as signed</i>
------------------	---

Description

This is really just to fix a limitation of readBin/R's 32 bit signed ints

Usage

```
ConvertIntToUInt(x, adjustment = 2^32)
```

Arguments

x	Number to be fixed
adjustment	number to be added to convert to uint32 (2^32 by default)

Value

numeric value of uint32

Author(s)

jefferis

See Also

[readBin](#)

is.bmp	<i>Returns TRUE if file is a Windows BMP image</i>
--------	--

Description

NB this just checks the magic 'BM' in the first two bytes of the file

Usage

```
is.bmp(source)
```

Arguments

source	file or connection
--------	--------------------

Value

TRUE or FALSE

Author(s)

jefferis

read.bmp*Open windows BMP format image files*

Description

Limited to 8 bit greyscale images and 24 bit RGB images.

Usage

```
read.bmp(f, Verbose = FALSE)
```

Arguments

f	File to open
Verbose	Give verbose warnings (default FALSE)

Value

array of dims height x width x channels

Author(s)

jefferis

Examples

```
## Not run:  
library(pixmap)  
r=read.bmp('myrgbimage.bmp')  
pr=pixmapRGB(r)  
r=read.bmp('mygreyimage.bmp')  
pr=pixmapGrey(r)  
plot(pr)  
  
## End(Not run)
```

Index

ConvertIntToUInt, [2](#)

is.bmp, [2](#)

read.bmp, [3](#)

readBin, [2](#)